


ELIPTA

the professionals' choice

Issue 20

HIGH QUALITY OUTDOOR LIGHTING



All images are for guidance only. Manufacturers specifications may change without notice. Elipta product warranty: 2-5 years, exclusions apply. For product details, warranty terms & conditions, dimensions & full specifications, go to www.elipta.com



ELIPTA
the **professionals'** choice

Bring your garden
to life with subtle,
glare free lighting



Contents

UPLIGHTS

- 04** Adjustable spike spotlights
- 08** Anthracite range
- 10** Recessed/inground

WALL LIGHTS

- 12** Up/down lights
- 14** Adjustable spotlights
- 22** Solid brass
- 26** Floodlights

PATH, STEP & DECK

- 28** Driveway/bollards
- 34** Spreadlights
- 38** Steplights
- 44** LED strip
- 46** Wireless controls

UNDERWATER

- 48** IP68 spotlights

TREE LIGHTING

- 52** Metal Halide
- 54** Hanging lights


PLUG&PLAY

- 56** Spotlight kits

LAMPS & INSTALLATION

- 58** Transformers

Compact adjustable spike spotlights



				
Compact spike spot				
12v MR16	E4111N	E4121N	E4131N	E4171N
240v GU10	E4112N	E4122N	E4132N	E4172N


Accessories: Glare louvre E4010 | Colour filters | Clip-on frosted lens MR16AFL | Spike extensions | Ground anchor E4009

Compact spike spot – 12v specifications	A	B	C
STAINLESS STEEL COPPER RUSTIC BROWN BLACK	63mm	103mm	72mm
Compact spike spot – 240v specifications	A	B	C
STAINLESS STEEL COPPER RUSTIC BROWN BLACK	63mm	111mm	82mm

12v MR16	240v GU10	IP65	Retrofit LED
Dimmable	Beam 15°-120°	12v Pre-wired 1.5m	240v Pre-wired 2m

Pole spotlights

12v MR16	IP65	Retrofit LED	Dimmable	Beam 15°-120°	Pre-wired 1.5m
----------	------	--------------	----------	---------------	----------------



				
Pole spot solo				
12v MR16	E6311	E6321	E6331	E6371

Accessories: Glare louvre - E4010 | Polycarbonate spike - E6001 | Tri-spike - E6002 (Order spike separately)
30cm pole extensions - Stainless steel - E6011 / Natural copper - E6021 / Black - E6031 / Rustic brown - E6071


				
Pole spot duo				
12v MR16	E6411	E6421	E6431	E6471

Accessories: Glare louvre - E4010 | Polycarbonate spike - E6001 | Tri-spike - E6002 | Chromed Brass Surface/Deck Mount - E6801
30cm pole extensions - Stainless steel - E6011 / Natural copper - E6021 / Black - E6031 / Rustic brown - E6071

Adjustable spike spotlights



5 YEAR WARRANTY
Natural copper body



Microspot spike spotlight

				
	STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR11	E4115	E4125	E4135	E4175

Accessories: Glare louvre - E4011 | 25cm pole extensions - Copper - E4004C / Stainless Steel - E4004 / Black - E4004B / Rustic brown - E4004R

12v MR11	IP65	Retrofit LED
Dimmable	Beam 25°	Pre-wired 1.5m



Microspot spike spotlights

Elipta 12v adjustable Micro spike spots are intended for use in containers, urns and small planting pockets using an MR11 low energy warm white LED lamp. Microspot Spikes are fitted with a matching 18cm slim rod spike fitted to the adjustable knuckle joint; this may be unscrewed and extended with an optional 25cm spike extension without having to rewire the light. The longer spike lends itself for use amongst taller planting or to cater for seasonal fluctuations in planting height.

5 YEAR WARRANTY
Solid brass body
bronze finish

Taurus spike spotlight

		
	BLACK	BRONZE
12v MR16	P8B	P8R

Supplied with ground spike

12v MR16	IP56	Plug & Play	Retrofit LED
Dimmable	Beam 15°-120°	Pre-wired 1.5m	




Cygnet spike spotlight

	BLACK
Built-in 12v CREE LED	ERL005-06C

Supplied with ground spike

12v 11.7w	Built-in LED	IP65	815 lm	20,000 hours
3000K	Beam 27°	Pre-wired 2m		




Adjustable spike spotlights – Anthracite


3 years warranty | Die-cast anodised aluminium bodies | Built-in LED 50,000hrs




EP4340
SPIKE3 GARDEN SPOTLIGHT
12V | 3W | 130LM
40° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.




EP4525
SPIKE5 GARDEN SPOTLIGHT
12V | 5W | 400LM
25° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016).
SUPPLIED WITH GROUND SPIKE.




EP4538
SPIKE5 GARDEN SPOTLIGHT
12V | 5W | 400LM
38° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016) SUPPLIED WITH GROUND SPIKE. ALSO AVAILABLE IN BLACK (EP4538B) WITH MATCHING GLARE SHIELD (EPGS48B) PURCHASE GLARE SHIELD SEPARATELY.




EP4836
SPIKE8 GARDEN SPOTLIGHT
12V | 8W | 640LM
36° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016). ALSO AVAILABLE IN BLACK (EP4536B) WITH MATCHING GLARE SHIELD (EPGS46B) SUPPLIED WITH GROUND SPIKE.



EP41240
SPIKE12 GARDEN SPOTLIGHT
24VDC | 12W | 1250LM
40° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.



EP41260Z
UNIBEAM TELESCOPIC GARDEN SPIKE LIGHT
240V | 12W | 550LM
10°-60° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.



ACCESSORIES



Glare Shield 46mm - EPGS46



Glare Shield 48mm - EPGS48



Glare Shield 65mm - EPGS65



Power supply - T2415ENC



Power supply - T9201ENC




Power supply - T9208ENC



Power supply - T9209ENC

Recessed uplights



Polus asymmetric LED recessed spotlight

STAINLESS STEEL				
24v	EP9945			

IP67	Built-in LED	9w 24v DC	2700k	316 stainless steel
Beam 45°	600lm	50,000 hours	Pre-wired 1.5m	



Vulcan LED recessed spotlight

STAINLESS STEEL				
24v	EP91540 - 24v			

IP67	Built-in LED	15w 24v DC	3000k	316 stainless steel
Beam 40°-60°	1380lm	50,000 hours	Pre-wired 2m	




Modula recessed uplight

STAINLESS STEEL		GREEN	BRASS
12v MR16	E8711N	E8741N	E8761N
240v GU10	E8712N	E8742N	E8762N

Accessories: Glare louvre MR16AHL | Colour filters | Clip-on lenses

12v MR16	240v GU10	IP67	Retrofit LED	Dimmable	Beam 15°-120°	Pre-wired 2m	33° tilt
----------	-----------	------	--------------	----------	---------------	--------------	----------



STAINLESS STEEL		BRASS
E8811N	E8861N	
E8812N	E8862N	



Spartan adjustable recessed uplight

STAINLESS STEEL	
240v - 26w warm white	E99200WW

26w 240v DC	IP67	Built-in LED	2250 lm	3000K
316 stainless steel	Beam 36°	Pre-wired 2m	22° tilt	



Delphi recessed uplight

STAINLESS STEEL				
240v - 44 watt	E99252WWN			

Accessories: Glare louvre E9000GLN

240v 44w	IP67	Built-in LED	5200 lm	3000K
20,000 hours	Beam 36°	Pre-wired 1.8m	20° tilt	



Lumilux

STAINLESS STEEL	
Built-in 12v CREE LED	GLWW12W


12v 12w	IP68	Built-in LED	340 lm	Plug & Play
3000K	20,000 hours	Beam 30°	Pre-wired 5m	



Lumimax

STAINLESS STEEL	
Built-in 12v CREE LED	GLWW18W

12v 24w	IP68	Built-in LED	650 lm	Plug & Play
3000K	20,000 hours	Beam 30°	Pre-wired 5m	



Lumimax RGB

STAINLESS STEEL	
Built-in 12v CREE LED	GLRGB24W

Accessories: GLMCL - Remote controller for GL series RGB lights


12v 24w	IP68	Built-in LED	400 lm	Plug & Play
3000K	Beam 30°	Pre-wired 5m		

Compact wall lights

Superior quality wall lights; up and down lights, outdoor wall lights and traditional lanterns. Available with glare control, coloured filters and a host of finishes, beam angles, low energy LED lamps (sold separately)... all the choices you need! Contemporary and traditional designs constructed from 316 stainless steel, natural copper, solid brass and die-cast aluminium.



5 YEAR WARRANTY
316 Stainless steel body



Compact wall downlight

	 STAINLESS STEEL	 COPPER	 BLACK	 RUSTIC BROWN
12v MR16	E4311L	E4321L	E4331L	—
240v GU10	E4312	E4322	E4332	E4372

Accessories: Glare louvre E4010 | Colour filters | Clip-on lenses

12v MR16

240v GU10

IP65


Retrofit LED

Dimmable

Beam 15°-120°



5 YEAR WARRANTY
Stainless steel body



Compact up & down wall light

	 STAINLESS STEEL	 COPPER	 BLACK
240v GU10	E4412	E4422	E4432

Accessories: Glare louvre E4010 | Colour filters | Clip-on lenses


240v GU10

IP65


Retrofit LED

Dimmable


Beam 15°-120°



Microspot wall up & down

	 STAINLESS STEEL
12v MR11	E4415

Microspot wall downlight

	 STAINLESS STEEL
12v MR16	E4315

Accessories: Glare louvre E4011

12v MR11

IP66

Retrofit LED


Dimmable

Beam 15°-120°

Compact wall spots



Compact wall spotlight
240v or 12v - IP65 adjustable LED spotlights with glare protection, choice of beam angles and clip-on colour filters. Available in 316 stainless steel, natural copper and aluminium powder-coated in a choice of three colours - black, white and rustic brown. Ideal for downlighting terraces, grazing walls and accent lighting features.



Compact wall spotlights					
	STAINLESS STEEL	COPPER	BLACK	WHITE	RUSTIC BROWN
12v MR16	E4211L	E4221L	E4231L	N/A	E4271L
240v GU10	E4212	E4222	E4232	E4252	E4272

Accessories: Glare louvre E4010 | Clip on filters | Frosted lens

12v MR16


240v GU10

IP65

Retrofit LED

Dimmable

Beam 15°-120°



Microspot adjustable wall lights			
	STAINLESS STEEL	COPPER	BLACK
12v MR11	E4215	E4225	E4235

Accessories: Glare louvre E4011

12v MR11

IP65

Retro-fit LED

Dimmable

Beam 25°



Compact twin wall spotlights			
	STAINLESS STEEL	COPPER	BLACK
240v GU10	E4912	E4922	E4932

Accessories: Glare louvre E4010 | Clip on filters | Frosted lens


240v GU10

IP65


Retrofit LED

Dimmable

Beam 15°-120°



Gemini wall light



Gemini wall light

	BLACK	WHITE	GRAPHITE
LED	EH2573B - LED 240v	EH2575W-LED 240v	EH2571-LED

240v

IP54

Built-in LED

261 lm

30,000 hours

Beam 28°



Titan spot lights | IP65 | 12v + 240v



Titan built-in LED

	DIMENSIONS			BLACK
12V - 10w	123	170	75	E9811WW
240v - 10w	123	170	75	E9810WW
240v - 15w	133	176	95	E9815WW15
240v - 26w	138	206	105	E9826WW

Supplied with ground spike and glare shield | Strap-on Tree Mount Bracket E4013BN - Black - For LED Floods

12v

240v

IP65

Built-in LED


3000K

20,000 hours

Glare shield

Beam 36°

Pre-wired 2m






Insika wall light

GRAPHITE			
LED	EH2834-LED		



240v	IP54	Built-in LED	367 lm
30,000 hours	Beam 107°		



Lumex wall light

GRAPHITE			
240v	ERW070-8A		


240v	IP65	Built-in LED	689 lm
30,000 hours	Beam 90°		



Cyclone up & down wall light

GRAPHITE			
240v	EHH1142		


240v	IP54	Built-in LED	571 lm
30,000 hours	Beam 36°		



Kensington wall light

GRAPHITE			
240v E27	EHH1461		


240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Kensington wall light – with PIR sensor

GRAPHITE			
240v E27	EHH1465		

240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Kensington post light

GRAPHITE			
240v E27	EHH1463-350		

240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Compact wall spots




Nimbus 30 wall light

TEAK

240v E27

E1032TL

- 240v E27
- IP54
- Retro-fit LED
- Dimmable
- Wide beam




Vega wall light

GRAPHITE

240v E27

EH8362

- 240v E27
- IP54
- Retro-fit LED
- Dimmable
- Wide beam




Box LED wall light

GRAPHITE

240v E27

EH5702

- 240v E27
- IP54
- Retro-fit LED
- Dimmable
- Wide beam



Larson downlight

GRAPHITE

240v LED

EH2622



- 240v 7w
- IP54
- Built-in LED
- 577 lm
- 3000k
- Beam 72°



Jenson up & downlight

GRAPHITE

240v LED

EH2621



- 240v 2x7w
- IP54
- Built-in LED
- 116 lm
- 3000k
- Beam 72°



Solid brass wall lights



Chatham eyelid wall light

SOLID BRASS, NICKEL PLATED FINISH
240v CAPLED - 140mm diameter solid brass LD436G912

240v
CAPLED

IP44

Retro-fit
LED

Dimmable

Wide
beam



Chatham wall light

SOLID BRASS, NICKEL PLATED FINISH
240v CAPLED - 140mm diameter solid brass LD438G912

240v
CAPLED

IP44

Retro-fit
LED

Dimmable

Wide
beam



**5 YEAR
WARRANTY***
Solid brass body



SOLID BRASS
LD436G962



SOLID BRASS
LD438G962



**5 YEAR
WARRANTY***
Solid brass body

Greenwich wall lantern light

240v GLS
SOLID BRASS
LD40662


240v
E27

IP64

Retro-fit
LED

Dimmable

Wide
beam



Pembroke lantern light

SOLID BRASS, ANTIQUE LACQUERED FINISH
240v GLS LD42492

240v
E27

IP25

Retro-fit
LED

Dimmable

Wide
beam



Drake pendant light

SOLID BRASS, ANTIQUE LACQUERED FINISH
240v GLS LD425492

240v
E27

IP25

Retro-fit
LED

Dimmable

Wide
beam



Solid brass wall lights



Clyde oval bulkhead



SOLID BRASS

240v E27 LD4000362 - c/w screws



SOLID BRASS

LD40062 - c/w wingnuts

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam



Portsmouth oval eyelid bulkhead



SOLID BRASS, NICKEL PLATED FINISH

240v GLS



SOLID BRASS

LD43512 LD43562

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam

5 YEAR WARRANTY
Solid brass body



Globe lantern light



SOLID BRASS, ANTIQUE LACQUERED FINISH

240v GLS

LD48992

240v E27

IP44

Retro-fit LED

Dimmable

Wide beam



Coachlight lantern light



SOLID BRASS, ANTIQUE LACQUERED FINISH

240v GLS

LD483A92

240v E27

IP44

Retro-fit LED

Dimmable

Wide beam

5 YEAR WARRANTY
Solid brass body



Dartmouth wall light



SOLID BRASS, NICKEL PLATED FINISH

240v GLS

LD45312

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam



Poole round bulkhead



SOLID BRASS, NICKEL PLATED FINISH

240v GLS

LD40212

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam



SOLID BRASS

LD45362




SOLID BRASS

LD40262



5 YEAR WARRANTY
Solid brass body

Floodlights



Mini flood

SOLID BRASS, BRONZE FINISH	
12v CAPLED	P9R



Supplied with ground spike

12v	IP66	2700K	G4 LED	Plug& Play	Retro-fit LED	Dimmable	Beam 120°	Pre-wired 1.5m
-----	------	-------	--------	------------	---------------	----------	-----------	----------------

Low wattage floodlights

RUSTIC BROWN		RUSTIC BROWN
7w	PF7W	-
20w	-	PF20W

240v	IP65	3000K	20,000 hours	Built-in LED	Beam 120°	Pre-wired 2m
------	------	-------	--------------	--------------	-----------	--------------



Super Slim LED floodlight

	A	B	C	BLACK
240v - 20w - 2000lm	169	141	103	E9772WN
240v - 30w - 2350lm	170	143	52	E9773W
240v - 50w - 4500lm	257	207	150	E9775W

240v	IP67	4000K	20,000 hours	Built-in LED	Beam 120°	Pre-wired 2m
------	------	-------	--------------	--------------	-----------	--------------

Compact LED floodlight

BLACK	
240v - 10w - 1000lm	E9761W

240v 10w	IP65	4000K	35,000 hours
Built-in LED	Beam 120°		



Compact LED floodlight PIR

BLACK	
240v - 30w - 4000K - 2700lm	E9773PIRN
240v - 30w - 4000K - 3000lm	E9773PIR
240v - 20w - 3000K - 1800lm	E9762WW

240v 20w	240v 30w	IP64	4000K	35,000 hours	Built-in LED	Pre-wired 2m
Beam 120°						



Bollard lights



Nimbus 45 & Nimbus 70

	TEAK	TEAK WITH LOUVRES
240v E27	E1042T - 45cm tall	E1042TL - 45cm tall
240v E27	E1072T - 70cm tall	E1072TL - 70cm tall

Accessories: Round ground mount

240v E27	IP44	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------	------	---------------	----------	-----------	--------------



Cirrus 45

	TEAK	TEAK WITH LOUVRES
240v E27	E1142T - 45cm tall	E1142TL - 45cm tall

Accessories: Square ground mount

240v E27	IP44	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------	------	---------------	----------	-----------	--------------



Stratus 45

	TEAK WITH ANGLED LOUVRES
240v E27	E1242TL - 45cm tall

Accessories: Square ground mount

240v E27	IP44	Retro-fit LED	Dimmable
Wide beam	Pre-wired 2m		



5 YEAR WARRANTY
Solid granite body

Arcus bollard light

	GRANITE STONE
240v LED	E1503

Accessories: Spike mount

240v 6w	IP55	Built-in LED	3000K
500 lm	Wide beam		



Alto 60 bollard Light

	STAINLESS STEEL
240v LED	E1612

Accessories: Ground and spike mount

240v E27	IP44	Retro-fit LED	Dimmable
Wide beam	Pre-wired 2m		



Bollard lights




Senatrix bollard light

GRAPHITE

240v EH8443LED-650

Accessories: EHSENATRIX - Round SS base plate & spike

240v 7w	IP54	Built-in LED	426 lm
Glare free beam		Pre-wired 2m	




Matrix bollard light

GRAPHITE

240v LED EH8453LED-650

Accessories: Ground spike

240v 5w	IP54	Built-in LED	3000K
356 lm	Wide beam		Pre-wired 2m




Vortex bollard light

GRAPHITE

240v LED EH5853-400

Accessories: Ground spike

240v 7w	IP65	Built-in LED	3000K
262 lm	Beam 49°		Pre-wired 2m



Polar bollard light

GRAPHITE

240v LED EH8463LED-650

Accessories: Ground spike

240v 12w	IP54	Built-in LED	
262 lm	Wide beam		Pre-wired 2m




Stella bollard light

GRAPHITE

240v LED EH8363-650

Accessories: Ground spike

240v E27	IP54	Retro-fit LED	
Wide beam		Pre-wired 2m	




Insika bollard light

GRAPHITE

240v LED EH2836-LED

Accessories: Ground spike

240v 8.4w	IP54	Built-in LED	3000K
324 lm	Beam 106°		Pre-wired 2m



Bollard lights

Compact bollard light

BLACK	
12v 64	E6531
240v E27	E6532P

Supplied with ground spike

12v Cap LED	240v E27	IP66	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------------	-------------	------	------------------	----------	--------------	-----------------




Compact bollard light

STAINLESS STEEL	
240v E27	E6512

Supplied with ground spike


240v E27	IP66	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
-------------	------	------------------	----------	--------------	-----------------



Brass path lights

5 YEAR WARRANTY
Solid brass body

240v E27	IP64	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
-------------	------	------------------	----------	--------------	-----------------



Greenwich bollard

SOLID BRASS - 63CM	
240v GLS	LD4066362



Portland post light



SOLID BRASS		SOLID BRASS, ANTIQUE LACQUERED FINISH
240v GLS	LD45462	LD45492

240v E27	IP64	Dimmable	Wide beam
-------------	------	----------	--------------



Path lights



Domo spreadlight	
	
SATIN CHROME	NATURAL COPPER
12v CAP	E6911
E6921	

12v G4

IP56

Retro-fit CAPLED

Dimmable

Wide beam

Pre-wired 1.5m



Midas tapered spreadlight	
	
SATIN CHROME	NATURAL COPPER
12v CAP	E6611
E6621	

Supplied with ground spike

12v G4

IP66

Retro-fit CAPLED

Dimmable

Wide beam

Pre-wired 1.5m



Nova spreadlight	
	
NATURAL COPPER	
12v CAP	P7C

Supplied with ground spike

12v G4

IP65

Plug& Play

Dimmable

Wide beam

Pre-wired 1.5m



Nebula spreadlight	
	
BLACK	SOLID BRASS, BRONZE
12v CAP	P7B
P7R	

Supplied with ground spike

12v G4




IP65

Plug& Play

Dimmable

Wide beam

Pre-wired 1.5m



Path lights

12v	IP65	Built-in LED	Pre-wired 1.5m
-----	------	--------------	----------------



Single path light



12v / 2w / 105lm

E5531

Duo path light



12v / 2x 2w / 2x 105lm

E5631



Tall mushroom - 50cm



12v 3w

ERL0203A12

Short mushroom - 15cm



12v 6.4w

ERL0206A12



Al fresco dining



Rechargeable battery outdoor table lamps and lantern

- EHH1891B - Black
- EHH1891W - White
- EHH1812B - Black lantern



EHH1891W - White

- | 9 hour battery life
- | Touch switch operation
- | 3 year warranty
- | USB charging
- | 188lm



EHH1891B - Black



EHH1812B - Black lantern

Recessed steplights



Smoothie recessed light



STAINLESS STEEL

12v MR16	E8011L
240v GU10	E8012

12v MR16	240v GU10	IP66	Retro-fit LED
Dimmable	Wide beam	Pre-wired 2m	

Smoothie eyelid light




STAINLESS STEEL



COPPER


12v MR16	E8111L	E8121L
240v GU10	E8112	E8122

12v MR16	240v GU10	IP66	Retro-fit LED
Dimmable	Wide beam	Pre-wired 2m	



Step and deck lights


12v/24v	IP65	IP67	Pre-wired	Wide beam
---------	------	------	-----------	-----------



Vela steplight

BRASS, BRUSHED NICKEL FINISH

12v G4	P3RBN
--------	-------



Vela steplight

TEXTURED BRASS

12v G4	P3RTB
--------	-------



Vela steplight

SOLID BRASS, BRONZE FINISH

12v G4	P3R
--------	-----

Meridian LED marker light



316 STAINLESS STEEL

12/24v - Built-in LED 2w - 12lm	EP32000
---------------------------------	---------

Micro deck light




316 STAINLESS STEEL

12/24v DC - Built-in LED 2w - 80lm	EP32120
------------------------------------	---------



Waymarkers



Waymarker 180

STAINLESS STEEL		STAINLESS STEEL
12v MR16 IP65	E8311L	–
240v GU10 IP66	–	E8312SS

12v MR16


IP65

Retro-fit LED

Dimmable

Wide beam

Pre-wired 2m



Waymarker 360

STAINLESS STEEL	COPPER	STAINLESS STEEL	COPPER
12v MR16 IP65	E8411L	–	–
240v GU10 IP66	–	E8412SS	E8422SS

12v MR16

IP65


Retro-fit LED

Dimmable

Wide beam

Pre-wired 2m

Micro Waymarkers



Micro Waymarker 90°

STAINLESS STEEL	
12v/24v DC 3w	EP8390

12v/24v

IP67


100 lm

2700k

316 stainless steel

Pre-wired 1.5m

Built-in LED



Micro Waymarker 360°

STAINLESS STEEL	
12v/24v DC 3w	EP83360

12v/24v

IP67

100 lm


2700k

316 stainless steel

Pre-wired 1.5m

Built-in LED

Recessed deck and steplights




Navigator Minor



STAINLESS STEEL

White LED	E3111W-N
Warm white LED	E3111WWN

12v 0.3w	IP67	Built-in LED	3000K
Beam 49°		Pre-wired 1m	



Navigator Mono




STAINLESS STEEL



COPPER

White LED	E3211WNN	E3221WNN
Warm white LED	E3211WWN	E3221WWNC

12v 1w	IP67	Built-in LED
Wide beam		Pre-wired 1m



Navigator Maxor




STAINLESS STEEL



COPPER

White LED	E3311W-N	E3321W
Warm white LED	E3311WW	E3321WW

12v 1w	IP67	Built-in LED
Wide beam		Pre-wired 1m



Navigator Eye



STAINLESS STEEL



COPPER

White	E3411W-N	E3421W
Warm white	E3411WW	E3421WW

12v 1w	IP67	Built-in LED	Wide beam	Pre-wired 1m
-----------	------	-----------------	-----------	-----------------

Manzi wall light



STAINLESS STEEL

240v Warm white LED	Eh2771-LED
---------------------	------------

240v	IP65	Built-in LED	20,000 hours	Wide beam	Pre-wired 2m
------	------	-----------------	-----------------	-----------	-----------------



Sol recessed uplight



STAINLESS STEEL

240v Warm white LED	E8512C
---------------------	--------

240v	IP67	Built-in LED	20,000 hours	Wide beam	Pre-wired 2m
------	------	-----------------	-----------------	-----------	-----------------

Phanzi wall light



STAINLESS STEEL

240v Warm white	Eh2772-LED
-----------------	------------

240v	IP65	Built-in LED	20,000 hours	Wide beam	Pre-wired 2m
------	------	-----------------	-----------------	-----------	-----------------



Micro LED strip light

12v DC

24v DC

IP67

3500k

13,000 hours

Dimmable

Wide beam



Photo courtesy of Paul Newman Landscapes

MicroLED strip light

	WARM WHITE	WARM WHITE	RGB
12v MicroLED kit	–	B3001WWKIT	
12v 10x6mm - 5m LED strip only	B3001WWAN	–	
24v MicroLED 12x6mm - 5m LED RGB strip only	–	–	B3003RGBA

MicroLED strip light accessories and controls

LED strip RGB amplifier

B3031AMP

RF single colour receiver & controller for warm white MicroLED

B3010

2 zone remote handset dimmer

BV206

WiFi LED RGB controller for iphone/android

B3031

RF dimmer/receiver 12-36v

BV255

10mm x 6mm - Anodised aluminium mounting channel

B3020

16mm x 12mm - Anodised aluminium mounting channel

B3021

Linear steplight c/w bracket

BLACK

P3LSB - 12v

Walkover Quartz recessed RGB uplight

Stainless steel

E993RGB - 24v LED

Walkover Opal frosted recessed uplight

Stainless steel

E995RGBF - 24v LED

DMX kits and controls

Wall mount 4 channel DMX controller

B30DMX

Opal Walkover DMX kit

E995DMXKIT

RGB/RGBW DMX decoder 350mA

BVDMX-350

Constant Voltage DMX Decoder

BVDMX-501

RGB remote controls

Wall Panel Remote

RGB+CCT REMOTE

Touchzone RGB + CCT Remote

RGBCCT092

RGB Remote Holder

Wifi iBox Controller

RGBIBOX2

RGBWW Wifi Receiver

RGBWW512



Retrofit RGB lamps

GU10 RGB + CCT 4w Lamp

RGBCCTGU104

MR16 RGB + CCT 4w Lamp

RGBCCTMR164

RGB CCT spotlights/floodlight

RGB + CCT LED Spot 240v 9w Black

RGBCCT240

RGB + CCT LED Spot 24v 9w Black

RGBCCTLV24

RGB + CCT LED Floodlight

RGBCCTF30 - 240v 30w

Elipta Alexa Interface for RGBCCT Range

RGBALEXA

Sensors



Photo courtesy of Mike Shackleton


Nightmatic 3000 - dusk til dawn sensor ST550516		IS2180-2 12m PIR Detector - Black ST603717	
Infrared driveway beam master sensor & repeater LS30820DBS		Infrared driveway beam sensor - infrared sensor only LS30820DBSS	
Wireless PIR LS30070PIR		iPort LSIPORT	
Single channel lighting controller LS30505SCC		9 Channel remote control handset LS30050WRC	

Light symphony wireless controller solutions

4 Channel Starter Kit: Key fob - 4 channel controller LS3KIT4KF	
2 Channel Starter Kit: Handset - wall switch - 2 channel controller LS3SKIT2	
2 x 2 Channel Starter Kit: Key fob - Two 2 channel controllers LS3KIT4KF2	
2 x 2 Channel Starter Kit: Handset - wall switch - Two 2 channel controllers LS3SKIT42	
iPort + 2 Channel controller LSI2KIT2	
iPort + 4 Channel controller LSI2KIT4	
2 Channel starter kit: Key fob - 2 channel controller LS3KIT2KF	
4 Channel Starter Kit: Key fob - 4 channel controller LS3KIT4KF	



Underwater LED spotlights



Atlantus underwater light		
	BRASS	BLACK
	12v LED	R3505

Atlantus underwater light with glare shield		
	BRASS	BLACK
	12v LED	R3606

Atlantus with base mount		
	BRASS	BLACK
	12v LED	R3505M

Atlantus with glare shield & base mount		
	BRASS	BLACK
	12v LED	R3606M

12v MR16


IP68


Retro-fit LED


Dimmable



Beam 15°-120°

Pre-wired 5m





Atlantus with base mount & extended stem	
	BLACK
	12v LED

Atlantus with glare shield, base mount & extended stem	
	BLACK
	12v LED

Atlantus with spike mount		
	BRASS	BLACK
	12v LED	R3505P

Atlantus with glare shield & spike mount		
	BRASS	BLACK
	12v LED	R3606P

Atlantus with spike mount & extended stem		
	BRASS	BLACK
	12v LED	R3505PX

Atlantus with glare shield, spike mount & extended stem		
	BRASS	BLACK
	12v LED	R3606PX

Neptune recessed underwater light	
	BRASS
	E2561S

Accessories: Glare louvres | Colour filters | Clip-on lenses

12v MR16


IP68

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 5m



Underwater LED spotlights



Micro underwater light

STAINLESS STEEL

STAINLESS STEEL

24V DC LED	ERU010-01A	-
Spotlight with stem/base	-	ERU010-BMX

24v
2w

IP68

3000k

200
lm

Built-in
LED

Beam
30°

Pre-wired
5m

Hydrus Plus underwater light with base

STAINLESS STEEL

12v MR16	E996SS
----------	--------

12v
MR16

IP68

Retro-fit
LED

Dimmable

Beam
15°-120°

Pre-wired
6m



Brilliance

NICKEL PLATED

12v LED	GLWW8WSB RI
---------	-------------

12v
8w

IP68

Built-in
LED

Dimmable

330
lm

Beam
30°

Pre-wired
5m

Brilliance RGB

NICKEL PLATED

12v LED	GLRGB8WS
---------	----------

RGB

200
lm



Excellence

NICKEL PLATED

12v LED	GLWW12WSBRI
---------	-------------

12v
12w

IP68

Built-in
LED

Dimmable

370
lm

Beam
30°

Pre-wired
5m



Luxes

NICKEL PLATED

12v LED	GLWW18WS
---------	----------

12v
18w

IP68

Built-in
LED

Dimmable

750
lm

Beam
30°

Pre-wired
5m

Luxes RGB

NICKEL PLATED

12v LED	GLRGB18WS
---------	-----------

RGB

400
lm



Recessed metal halide

Persius and Olympus

These recessed adjustable uplights combine a cool top lens, long lamp life and energy efficiency for uplighting large trees from lawns or paving. Both Persius and Olympus provide a powerful 36° uplighting beam, using a single-ended metal halide lamp, while maintaining a typical top lens temperature of under 70°C - so these huge fittings can be used even in walkover areas to uplight trees over 6m high with an open canopy and branch structure from directly below. The lamp and reflector assembly is mounted on an adjustable cradle so the beam can be tilted up to 20° from vertical to achieve the desired effect. G12 single-ended ceramic type CDMT 3000°K warm white metal halide lamps are recommended for green foliage trees and combines long lamp life and colour stability. HQIT 4000°K lamps give a cooler lighting effect suitable for trees with blue/grey foliage such as some pines & cedars. Order lamps separately.



Persius 35 recessed uplight

				
	STAINLESS STEEL	BLACK	GREEN	BRASS
240v MH	E95351SM	E95353S	E95354S	E95356S

Accessories: Glare louvre E9500L


IP67	240v MH 35w	Retro-fit metal halide	Beam 36°	Pre-wired 1.5m
------	-------------	------------------------	----------	----------------

Olympus 70 recessed uplight


				
	STAINLESS STEEL	BLACK	GREEN	BRASS
240v MH	E96701S	E96703S	E96704S	E96706S

Accessories: Glare louvres

IP67	240v MH 70w	Retro-fit metal halide	Beam 36°	Pre-wired 1.5m
------	-------------	------------------------	----------	----------------



Persius 35



Olympus 70

Surface mount metal halide



Apollo


Apollo surface mount fittings are available in 3 wattage ratings and a choice of circular beam angles designed for uplighting large trees over 6m. Supplied with a stirrup bracket for mounting on walls, ground spike or adjustable surface mount. The frame of the borosilicate lens has 'through-flow' slots to allow water to drain off the lens even if pointed directly upward or fitted with a glare shield.

Apollo 35 | 70 |150

				DARK GREY
Apollo 35	36°	240v MH		E94035SM
Apollo 35	60°	240v MH		E94035WM
Apollo 70	36°	240v MH		E94070S
Apollo 70	60°	240v MH		E94070W
Apollo 150	36°	240v MH		E94150S
Apollo 150	60°	240v MH		E94150W

Accessories: Glare louvres | Glare shields | Ground spike

IP65	240v MH 35w	240v MH 70w	240v MH 150w	Retro-fit metal halide
	Beam 36° / 60°	Pre-wired 2m		



Hanging lights



Moonray hanging downlight

	BLACK	NATURAL COPPER	RUSTIC BROWN
12v MR16 20w	E7831	E7821	E7871

Accessories: Clip on honeycomb glare filter | Clip on frosted lens

IP23


12v MR16

Retro-fit LED

Dimmable

Wide beam

Pre-wired 1m



Pergolight

	NATURAL COPPER	SILVER
12v MR16 20w	E8521	E8581

Accessories: Clip on honeycomb glare filter | Clip on frosted lens

IP44


12v MR16

Retro-fit LED

Dimmable

Wide beam

Pre-wired 1m



Tree mount spotlights

Strap or screw mount | Choice of 5 strap sizes | Black or rustic brown | 12v or 240v



Screw-mount tree spotlight

	BLACK	RUSTIC BROWN	LIGHT MAHOGANY
12v MR11	E4135M	E4175M	-
12v MR16	E4131M	E4171M	P5LM1
240v GU10	E4132M	E4172M	-

Accessories: Screw-on tree mount brackets available in black/ rustic brown | Clip on honeycomb glare filter | Clip on colour filter | Clip on frosted lens

IP65

12v MR11

12v MR16


240v GU10

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 1.5m



Strap-mount tree spotlight

	NATURAL COPPER	RUSTIC BROWN
12v MR11	E4135T	E4175T
12v MR16	E4131T	E4171T
240v GU10	E4132T	E4172T

Accessories: Tree straps available in black/rustic brown and various sizes 10"(250mm)/ 15"(375mm)/21"(525mm)/31"(775mm)/41"(1025mm) | Clip on honeycomb glare filter | Clip on colour filter | Clip on frosted lens

IP65

12v MR11

12v MR16


240v GU10

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 1.5m



Garden spotlights with IP44 connector



Lunar spotlight

	BLACK	BLACK	BLACK
GLMR16KIT3	12v MR16	-	-
GLMR16KIT5	-	GLMR16KIT5	-
12v MR16 - Lunar LED spotlight, lamp sold separately	-	-	GLMR16S


12v MR16

IP68

Retro-fit LED

Beam 15°-120°

Pre-wired 5m



Universal spike spotlight

	BLACK
12v MR16	P520B

Accessories: Transformers | Connecting cables | IP44 connectors
| IP68 connectors | Dusk til dawn sensor

12v MR16

IP56

Retro-fit LED

Beam 15°-120°

Pre-wired 1.5m



LED lights with IP44 connector

12v

IP65

Retro-fit LED

Wide beam

Pre-wired 1.5m

Orion bollard light

	LIGHT MAHOGANY ANODISED	LIGHT MAHOGANY ANODISED
12v MR16	P1LM12	P1LM12KIT



Recessed decklights

Lumini deck light

	STAINLESS STEEL	STAINLESS STEEL
12v AC starter kit	GLWW03WKIT	-
12v AC single light	-	GLWW03W

12v 0.3w

IP67

3000K

Built-in LED

Beam 120°

Pre-wired 1m

Lumina deck light

	STAINLESS STEEL	STAINLESS STEEL
12v MR16 starter kit	GLWW1WKIT	-
12v MR16 single light	-	GLWW1W

12v 1w


IP67

3000K

Built-in LED

Beam 120°

Pre-wired 1m



Transformers



IP68 LED power supply

B9403N - 12v DC - 15w



12v DC LED power supplies - enclosures

T9201ENC - 12w in IP65 enclosure

T9208ENC - 20w in IP65 enclosure

T9209ENC - 35w in IP65 enclosure

T9210ENC - 60w in IP65 enclosure

T2499ENC - 99w in IP65 enclosure

T2415ENC - 15w in IP65 enclosure

T2435ENC - 35w - 24v DC



12v DC LED power supplies - potted

T9201PT - 12w potted

T9208PT - 20w potted

T9209PT - 35w potted

T9210PT - 60w potted

T9160PT - 60w dimmable potted

T9211PT - 100w potted

T2415PT - 15w potted

T2499PT - 99w potted

T2435PT - 35w - 24v DC - potted



12v DC LED power supplies - ground burial

T9201GB - 12w in ground burial enclosure

T9208GB - 20w in ground burial enclosure

T9209GB - 35w in ground burial enclosure

T9210GB - 60w in ground burial enclosure

T2435GB - 35w - 24v DC in ground burial enclosure

T2415GB - 15w - in ground burial enclosure



Surface-mount exterior transformer

T9501 - 12v AC - 10va

T9502 - 12v AC - 20va

T9504 - 12v AC - 40va

T9506 - 12v AC - 60va

T9510 - 12v AC - 100va

T9515 - 12v AC - 150va



Ground burial transformer

T2504 - 12v AC - 20va

T2524 - 12v AC - 50va

T2534 - 12v AC - 100va

T2544 - 12v AC - 150va

T2714 - 12v AC - 200va



Plug&Play transformer

DB6W12 - 6va

DB12W12 - 12va

DB20W12 - 20va

DB60W12 - 60va

DB105W12 - 105va



Installation accessories



Waterproof junction boxes

T9801 - IP65 Junction box (plain sides) - 112 x 112 x 67mm - Black

T9802 - IP65 Junction box (plain sides) - 160 x 120 x 71mm - Black

T9803 - IP65 Junction box (plain sides) - 165 x 145 x 84mm - Black

T9808 - IP65 Junction box (plain sides) - 230 x 180 x 88mm - Black

T9809 - IP65 Junction box (plain sides) - 320 x 250 x 135mm - Black

T9810 - IP66 Junction box c/w terminals/entries - 75 x 75 x 50mm - Black

T9811 - IP66 Junction box c/w terminals/entries - 85 x 85 x 50mm - Black

T9812 - IP66 Junction box c/w terminals/entries - 110 x 110 x 65mm - Black

T9813 - IP66 Junction box c/w terminals/entries - 140 x 140 x 80mm - Black

T9814 - IP66 Junction box c/w terminals/entries - 160 x 140 x 80mm - Black



Cable - ground burial

T9910 - Ground burial 2 core low voltage cable - 50m - 4mm²

T9911 - Ground burial 2 core low voltage cable - 25m - 4mm²

T9912 - Ground burial 2 core low voltage cable - 50m - 2.5mm²

T9913 - Ground burial 2 core low voltage cable - 25m - 2.5mm²

T9918 - Ground burial 2 core low voltage cable - 50m - 1.5mm²

T9919 - Ground burial 2 core low voltage cable - 25m - 1.5mm²



Cable - surface mount

T9920 - Surface mount flat 2 core low voltage cable - 100m - 2mm²

T9921 - Surface mount flat 2 core low voltage cable - 50m - 2mm²

T9922 - Surface mount flat 2 core low voltage cable - 25m - 2mm²



Waterproof cable joint kits

T9950 - Cable clips (Box 50) - for 1.5/2.5mm ground burial cable



T9962 - Cable joint kit

T9963 - Cable splice kit

T9964 - 12/3mm heat shrink c/w adhesive - length 1.2 metres

T9965 - 19/6mm heat shrink c/w adhesive - length 1.2 metres

T9966 - 3 Pole IP68 In-line cable connector

T9967 - Copper grease sachet 30cc

T9968A - Burial resin sealant pack 350ml

T9969 - Underground joint kit c/w resin sealant pack

T9972 - IP68 Cable gland c/w lock nut - 20mm

T9972W - IP68 Cable gland c/w lock nut - 20mm - White

T9973 - IP68 Cable gland c/w lock nut - 25mm

T9974 - Cable gland adaptor - Black 25mm - 20mm

T9982 - MPGEL Re-enterable clear sealant 1 litre bottle

T9984 - Shark gel insulated Joint 6A

T9985 - Shark gel insulated Joint 13A

T9990 - Outdoor sealant - Black - 75ml

T9599 - Transformer mounting stakes (pair)

T3800S - 6 way junction box

T9961 - 3 pole IP68 In-line cable connector 'Y' split